**KCA Laboratories**
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

# Certificate of Analysis



## EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311
Batch:
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 11/20/2023
Completed: 11/28/2023

**Client**
Savage Enterprises
7505 Irvine Center Drive, Suite 200
Irvine, CA 92618
USA




## Summary

| Test | Date Tested | Status |
|---|---|---|
| Cannabinoids | 11/28/2023 | Tested |
| Heavy Metals | 11/22/2023 | Tested |
| Microbials | 11/28/2023 | Tested |
| Mycotoxins | 11/28/2023 | Tested |
| Pesticides | 11/28/2023 | Tested |
| Residual Solvents | 11/22/2023 | Tested |

| ND | 83.5 % | 89.2 % | Not Tested | Not Tested | Yes |
|---|---|---|---|---|---|
| Total Δ9-THC | Δ8-THC | Total Cannabinoids | Moisture Content | Foreign Matter | Internal Standard Normalization |

## Cannabinoids by HPLC-PDA and/or GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) |
|---|---|---|---|---|
| CBC | 0.0095 | 0.0284 | ND | ND |
| CBCA | 0.0181 | 0.0543 | ND | ND |
| CBCV | 0.006 | 0.018 | ND | ND |
| CBD | 0.0081 | 0.0242 | ND | ND |
| CBDA | 0.0043 | 0.013 | ND | ND |
| CBDV | 0.0061 | 0.0182 | ND | ND |
| CBDVA | 0.0021 | 0.0063 | ND | ND |
| CBG | 0.0057 | 0.0172 | ND | ND |
| CBGA | 0.0049 | 0.0147 | ND | ND |
| CBL | 0.0112 | 0.0335 | ND | ND |
| CBLA | 0.0124 | 0.0371 | ND | ND |
| CBN | 0.0056 | 0.0169 | 1.91 | 19.1 |
| CBNA | 0.006 | 0.0181 | ND | ND |
| CBT | 0.018 | 0.054 | ND | ND |
| Δ4,8-iso-THC | 0.0067 | 0.02 | 1.15 | 11.5 |
| Δ8-iso-THC | 0.0067 | 0.02 | 1.96 | 19.6 |
| Δ8-THC | 0.0104 | 0.0312 | 83.5 | 835 |
| Δ8-THCV | 0.0067 | 0.02 | 0.373 | 3.73 |
| Δ9-THC | 0.0076 | 0.0227 | ND | ND |
| Δ9-THCA | 0.0084 | 0.0251 | ND | ND |
| Δ9-THCV | 0.0069 | 0.0206 | ND | ND |
| Δ9-THCVA | 0.0062 | 0.0186 | ND | ND |
| exo-THC | 0.0067 | 0.02 | 0.357 | 3.58 |
| **Total Δ9-THC** | | | **ND** | **ND** |
| **Total** | | | **89.2** | **892** |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone
CCO
Date: 11/28/2023

Tested By: Scott Caudill
Laboratory Manager
Date: 11/28/2023

ISO/IEC 17025:2017 Accredited
Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

**KCA Laboratories**
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

**Certificate of Analysis**



# EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311
Batch:
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 11/20/2023
Completed: 11/28/2023

**Client**
Savage Enterprises
7505 Irvine Center Drive, Suite 200
Irvine, CA 92618
USA

## Heavy Metals by ICP-MS

| Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|---|---|---|---|
| Arsenic | 2 | 20 | ND |
| Cadmium | 1 | 20 | ND |
| Lead | 2 | 20 | <LOQ |
| Mercury | 12 | 50 | ND |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO
Date: 11/28/2023

Tested By: Chris Farman
Scientist
Date: 11/22/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

**KCA Laboratories**
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

**Certificate of Analysis**



# EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311
Batch:
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 11/20/2023
Completed: 11/28/2023

**Client**
Savage Enterprises
7505 Irvine Center Drive, Suite 200
Irvine, CA 92618
USA

## Pesticides by LC-MS/MS

| Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|---|---|---|---|---|---|---|---|
| Abamectin | 30 | 100 | ND | Hexythiazox | 30 | 100 | ND |
| Acephate | 30 | 100 | ND | Imazalil | 30 | 100 | ND |
| Acetamiprid | 30 | 100 | ND | Imidacloprid | 30 | 100 | ND |
| Aldicarb | 30 | 100 | ND | Kresoxim methyl | 30 | 100 | ND |
| Azoxystrobin | 30 | 100 | ND | Malathion | 30 | 100 | ND |
| Bifenazate | 30 | 100 | ND | Metalaxyl | 30 | 100 | ND |
| Bifenthrin | 30 | 100 | ND | Methiocarb | 30 | 100 | ND |
| Boscalid | 30 | 100 | ND | Methomyl | 30 | 100 | ND |
| Carbaryl | 30 | 100 | ND | Mevinphos | 30 | 100 | ND |
| Carbofuran | 30 | 100 | ND | Myclobutanil | 30 | 100 | ND |
| Chloranthraniliprole | 30 | 100 | ND | Naled | 30 | 100 | ND |
| Chlorfenapyr | 30 | 100 | ND | Oxamyl | 30 | 100 | ND |
| Chlorpyrifos | 30 | 100 | ND | Paclobutrazol | 30 | 100 | ND |
| Clofentezine | 30 | 100 | ND | Permethrin | 30 | 100 | ND |
| Coumaphos | 30 | 100 | ND | Phosmet | 30 | 100 | ND |
| Cypermethrin | 30 | 100 | ND | Piperonyl Butoxide | 30 | 100 | ND |
| Daminozide | 30 | 100 | ND | Prallethrin | 30 | 100 | ND |
| Diazinon | 30 | 100 | ND | Propiconazole | 30 | 100 | ND |
| Dichlorvos | 30 | 100 | ND | Propoxur | 30 | 100 | ND |
| Dimethoate | 30 | 100 | ND | Pyrethrins | 30 | 100 | ND |
| Dimethomorph | 30 | 100 | ND | Pyridaben | 30 | 100 | ND |
| Ethoprophos | 30 | 100 | ND | Spinetoram | 30 | 100 | ND |
| Etofenprox | 30 | 100 | ND | Spinosad | 30 | 100 | ND |
| Etoxazole | 30 | 100 | ND | Spiromesifen | 30 | 100 | ND |
| Fenhexamid | 30 | 100 | ND | Spirotetramat | 30 | 100 | ND |
| Fenoxycarb | 30 | 100 | ND | Spiroxamine | 30 | 100 | ND |
| Fenpyroximate | 30 | 100 | ND | Tebuconazole | 30 | 100 | ND |
| Fipronil | 30 | 100 | ND | Thiacloprid | 30 | 100 | ND |
| Flonicamid | 30 | 100 | ND | Thiamethoxam | 30 | 100 | ND |
| Fludioxonil | 30 | 100 | ND | Trifloxystrobin | 30 | 100 | ND |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO
Date: 11/28/2023

Tested By: Jasper van Heemst
Principal Scientist
Date: 11/28/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

**KCA Laboratories**
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

**Certificate of Analysis**



# EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311
Batch:
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 11/20/2023
Completed: 11/28/2023

**Client**
Savage Enterprises
7505 Irvine Center Drive, Suite 200
Irvine, CA 92618
USA

## Mycotoxins by LC-MS/MS

| Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|---|---|---|---|
| B1 | 1 | 5 | ND |
| B2 | 1 | 5 | ND |
| G1 | 1 | 5 | ND |
| G2 | 1 | 5 | ND |
| Ochratoxin A | 1 | 5 | ND |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO
Date: 11/28/2023

Tested By: Jasper van Heemst
Principal Scientist
Date: 11/28/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

**KCA Laboratories**
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

**Certificate of Analysis**



# EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311
Batch:
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 11/20/2023
Completed: 11/28/2023

**Client**
Savage Enterprises
7505 Irvine Center Drive, Suite 200
Irvine, CA 92618
USA

## Microbials by PCR and Plating

| Analyte | LOD (CFU/g) | Result (CFU/g) | Result (Qualitative) |
|---|---|---|---|
| Total aerobic count | 1 | ND | |
| Total coliforms | 1 | ND | |
| Generic E. coli | 1 | ND | |
| Salmonella spp. | 1 | | Not Detected per 1 gram |
| Shiga-toxin producing E. coli (STEC) | 1 | | Not Detected per 1 gram |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO
Date: 11/28/2023

Tested By: David Viohl
Accessioning Manager
Date: 11/28/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

**KCA Laboratories**
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

# Certificate of Analysis



## EXTRAX Liquid Badder DOSI KILLER

Sample ID: SA-231120-30311
Batch:
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 11/20/2023
Completed: 11/28/2023

**Client**
Savage Enterprises
7505 Irvine Center Drive, Suite 200
Irvine, CA 92618
USA

## Residual Solvents by HS-GC-MS

| Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) |
|---|---|---|---|---|---|---|---|
| Acetone | 167 | 500 | ND | Ethylene Oxide | 0.5 | 1 | ND |
| Acetonitrile | 14 | 41 | ND | Heptane | 167 | 500 | ND |
| Benzene | 0.5 | 1 | ND | n-Hexane | 10 | 29 | ND |
| Butane | 167 | 500 | ND | Isobutane | 167 | 500 | ND |
| 1-Butanol | 167 | 500 | ND | Isopropyl Acetate | 167 | 500 | ND |
| 2-Butanol | 167 | 500 | ND | Isopropyl Alcohol | 167 | 500 | ND |
| 2-Butanone | 167 | 500 | ND | Isopropylbenzene | 167 | 500 | ND |
| Chloroform | 2 | 6 | ND | Methanol | 100 | 300 | ND |
| Cyclohexane | 129 | 388 | ND | 2-Methylbutane | 10 | 29 | ND |
| 1,2-Dichloroethane | 0.5 | 1 | ND | Methylene Chloride | 20 | 60 | ND |
| 1,2-Dimethoxyethane | 4 | 10 | ND | 2-Methylpentane | 10 | 29 | ND |
| Dimethyl Sulfoxide | 167 | 500 | ND | 3-Methylpentane | 10 | 29 | ND |
| N,N-Dimethylacetamide | 37 | 109 | ND | n-Pentane | 167 | 500 | ND |
| 2,2-Dimethylbutane | 10 | 29 | ND | 1-Pentanol | 167 | 500 | ND |
| 2,3-Dimethylbutane | 10 | 29 | ND | n-Propane | 167 | 500 | ND |
| N,N-Dimethylformamide | 30 | 88 | ND | 1-Propanol | 167 | 500 | ND |
| 2,2-Dimethylpropane | 167 | 500 | ND | Pyridine | 7 | 20 | ND |
| 1,4-Dioxane | 13 | 38 | ND | Tetrahydrofuran | 24 | 72 | ND |
| Ethanol | 167 | 500 | ND | Toluene | 30 | 89 | ND |
| 2-Ethoxyethanol | 6 | 16 | ND | Trichloroethylene | 3 | 8 | ND |
| Ethyl Acetate | 167 | 500 | 755 | Xylenes (o-, m-, and p-) | 73 | 217 | ND |
| Ethyl Ether | 167 | 500 | ND | | | | |
| Ethylbenzene | 3 | 7 | ND | | | | |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone
CCO
Date: 11/28/2023

Tested By: Kelsey Rogers
Scientist
Date: 11/22/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.